

**cod.DW132E**

data:30/05/2023


**Catalogo ricambi  
Spare parts catalog  
Catalogue de pièces détachées  
Ersatzteilkatalog  
Catálogo de repuestos  
Catálogo de peças de reposição  
Каталог запасных частей**

**E LEGANCE 50 KX WR 380-400/3N/50**




**S/N:DWR1025057**







| Pos. | Codice    | Descrizione                              | Description                             |
|------|-----------|------------------------------------------|-----------------------------------------|
| 1    | DW530004  | COPERCHIO OPTIMA II 500                  | COVER OPTIMA II 500                     |
| 2    | DW530005  | SCHIENALE OPTIMA II/ELC 500              | BACK PANEL OPTIMA II/ELC 500            |
| 3    | DW530016  | CARROZZERIA STD+HR OPTIMA II 500         | BODYWORK TEKNO 6.1 - TOP50              |
| 4    | DW15065/A | FISSACAVO PER VITI AUTOF (NR.2x11007)    | CABLE-FASTENER WITH SCREW               |
| 5    | DW561009  | FILTRO SUPERFICIE T6.1 ACQUA PULITA      | SURFACE FILTER                          |
| 6    | DW530403  | RESIST. 2100/2286W 230/240V 1            | 2100/2286W 230/240V 1 HEATING ELEM.     |
| 7    | DW530007  | FIANCO DX OPTIMA II/ELC 500              | RIGHT SIDE OPTIMA II/ELC 500            |
| 8    | DW530008  | FIANCO SX OPTIMA II/ELC 500              | LEFT SIDE OPTIMA II/ELC 500             |
| 9    | DW10786   | PIEDINO M10X35 DIAM.30 NERO              | M10X35 D.30 BLACK FOOT                  |
| 10   | DW11711   | DADO M10 ZINCATO DIN934                  | ZINC PLATED NUT M10 (MIN. 20PCS)        |
| 11   | DW13323   | PASSACAVO IN GOMMA D.13                  | RUBBER FAIRLEAD D.13 (MIN. 2 PCS)       |
| 12   | DW561064  | COIBENTE TETTO TOP50                     | INSULATING SHEET                        |
| 13   | DW15552/B | TERMOST. SICUR.VASCA KLIXON SENZA STAFFA | KLIXON TANK SAFETY THERMOSTAT           |
| 14   | DW15552/A | STAFFETTA PER TERMOSTATO VASCA KLIXON    | THERMOSTAT SUPPORT                      |
| 15   | DW10726   | CANNA CARICO PICC. WRAS m1,5x3/4 EN61770 | LOAD PIPE WRAS M1,5x3/4 EN61770         |
| 16   | DW15104/B | CAVO ALIMENTAZIONE 3X4X2500 NEOPRE       | CABLE 3X4X2500 NEOPRE                   |
| 16   | DW15118   | CAVO ALIMENTAZIONE 5x2,5x2500            | CABLE 5x2,5x2500                        |
| 16   | DW15145   | CAVO ALIM. 4X4X2500                      | CABLE 4X4X2500                          |
| 17   | DW540088  | GHIERA PORTA FILTRO ASP.POM.T.4 AP       | RING NUT FOR PUMP SUCTION FILTER HOLDER |
| 18   | DW500605  | POZZETTO CON SCARICO LATERALE SX         | LEFT SIDE SCRAP TRAY                    |
| 19   | DW80208   | GUARNIZIONE RAMPA LP2 DIAM.95X75X3       | RISER GASKET D.95X75X3 (MIN. 2 PCS)     |
| 20   | DW11101/A | VITE GRUP.RISC. D.30X11 (M8) INOX        | GROUP FASTENING S/S SCREW D.30X11 M8    |
| 21   | DW540086  | MANICO FILTRO ASP.POMPA T.4 ACQ.PUL      | FILTER HANDLE                           |
| 22   | DW561013  | FILTRO ASPIR.POMPA T.6.1 ACQ.PUL.        | SUCTION FILTER                          |
| 23   | DW11178   | RONDELLA 6X18 PIANA INOX UNI6593 DIN9021 | 6X18 S/S PLANE WASHER UNI6593 DIN9021   |
| 24   | DW11604   | RONDELLA GROWER M6 INOX UNI1751 DIN127   | M6 S/S GROWER WASHER UNI1751 DIN127     |
| 25   | DW11709   | DADO M6 CIECO CALOTTA SEMISF.A2 DIN1587  | S/S CAP NUT M6 DIN1587                  |
| 27   | DW561022  | RINFORZO FILTRO DW561013                 | FILTER REINFORCEMENT                    |
| 28   | DW560013  | GUARNIZIONE SOTTOP.T.6 PROFILO B.13      | PROFILE FOR LOWER DOOR SEAL             |
| 31   | DW540039  | MANIGLIA PER FILTRO SUPERFICE T.4        | SURFACE FILTER HANDLE                   |



| Pos. | Codice   | Descrizione                            | Description                              |
|------|----------|----------------------------------------|------------------------------------------|
| 1    | DW530002 | PORTA OPTIMA II 500/ELC (MAN. LAMIERA) | OPTIMA II 500/ELC DOOR FOR STEEL HANDLE  |
| 2    | DW560920 | SOTTOPORTA TEKNO 6.0                   | FRONT PANEL TEKNO6                       |
| 3    | DW560955 | MANIGLIA NEUTRA TK6 G600               | S/S HANDLE T6.0 NEUTRA                   |
| 4    | DW10778  | MICROCONTATTO MAGNETICO REED           | DOOR MICROSWITCH                         |
| 5    | DW560003 | MOLLA SPORTELLLO TEK6 FILO 1,7 DE12    | DOOR SPRING                              |
| 9    | DW560021 | PROFILO GUARNIZIONE PORTA T.6 E T.4    | PROFILE FOR DOOR SEAL                    |
| 10   | DW11220  | VITE INOX M4X12 BOSSARD BN5952         | M4X12 S/S SCREW BN5952                   |
| 11   | DW11203  | DADO M4 AUTOBLOCCANTE INOX DIN982      | S/S SELF-LOCKING NUT M4 DIN982           |
| 14   | DW530422 | MOLLA APERTURA PARZIALE ELC/OPTIMA II  | PARTIAL OPENING DOOR SPRING              |
| 15   | DW530423 | SCORRIMENTO PER MOLLA BLOCCO PORTA     | SLIDING FOR DOOR LOCK SPRING             |
| 16   | DW530424 | BOCCOLA FISSAGGIO MOLLA ECL/OPTIMA II  | SPRING FIXING BUSH ECL/OPTIMA II         |
| 17   | DW530013 | PIASTRA CONTENIM. PORTA OPTIMA II 500  | DOOR REINFORCEMENT PLATE                 |
| 18   | DW11725  | DADO FLA.ZIGR.M4 INOX A/2 DIN6923      | S/S FLANGE NUT M4 A/2 DIN6923            |
| 19   | DW500982 | STAFFA FISSAGGIO MICRO PORTA           | RING NUT FOR RISER PLUG                  |
| 20   | DW560006 | GOMMINO DX PER CERNIERA PORTA TEK.6    | DOOR HINGE RIGHT RUBBER LOCK (MIN. 2PCS) |
| 21   | DW560007 | GOMMINO SX PER CERNIERA PORTA TEK.6    | DOOR HINGE LEFT RUBBER LOCK (MIN. 2PCS)  |




| Pos. | Codice   | Descrizione                              | Description                              |
|------|----------|------------------------------------------|------------------------------------------|
| 1    | DW530004 | COPERCHIO OPTIMA II 500                  | COVER OPTIMA II 500                      |
| 2    | DW530401 | TASTIERA CON DISPLAY 2020 NO FW (E)      | DISPLAY (NO SOFTWARE)                    |
| 3    | DW50561  | DIST. SCHEDE ELETTR. 2009 D.8X10         | MAINBOARD SPACER D.8X10                  |
| 4    | DW530411 | SCATOLA PROT. DISPLAY OPTIMA II (530401) | DISPLAY PROTECTION BOX (530401)          |
| 5    | DW530412 | GUARN.SCATOLA DISPLAY OPTIMA II (530401) | PROTECTION BOX GASKET OPTIMA II (530401) |
| 6    | DW530434 | TAPPO USB SCATOLA DISP.OPTIMA II         | USB CAP DISPLAY BOX                      |
| 7    | DW530413 | TAPPO CAVO TELEF. SCATOLA DISP.OPTIMA II | PLUG FOR CABLE DISPLAY HOUSING           |
| 8    | DW11725  | DADO FLA.ZIGR.M4 INOX A/2 DIN6923        | S/S FLANGE NUT M4 A/2 DIN6923            |
| 9    | DW530405 | CAVETTO TEL. L2,5M DISPLAY OPTIMA II     | CABLE L2500 DISPLAY OPTIMA II            |
| 10   | DW530442 | MOSTRINA OPTIMA II NEUTRA                | NEUTRAL CONTROL OVERLAY                  |






| Pos. | Codice   | Descrizione                              | Description                              |
|------|----------|------------------------------------------|------------------------------------------|
| 1    | DW560921 | PORTACOMPONENTI ELETTR.TEKNO 6.0         | ELECTRIC COMPONENTS PANEL T6.0           |
| 2    | DW15086  | TELERUTTORE 230V 50/60Hz 4C AC3(6A)      | CONTACTOR 230V 50/60Hz 4C AC3(6A)        |
| 3    | DW500551 | MORSETTIERA 6 POLI KL116/6               | TERMINAL BOARD 6 POLES FV122 RED         |
| 4    | DW530400 | SCHEDA MADRE 2020 NO FIRMWARE (E)        | MAINBOARD (NO SOFTWARE)                  |
| 5    | DW15149  | FILTRO ANTIDIS.F3 (CX0.47MF)             | LOW NOISE FILTER F3 (CX0.47MF)           |
| 6    | DW50621  | SONDA DOPPIA TERMOMETRI (O-B) TOUCHE2017 | TEMPERATURE PROBE TOUCHE2017             |
| 7    | DW520408 | CAVETTI VASCA+BOILER PRESSOSTATI HUBA    | HUBA PRESSURE SWITCHES TANK/BOILER CABLE |
| 10   | DW15675  | FILTRO ANTIDISTURBO ISKRA KPL3524        | ANTIJAMMING FILTER F3 (CX0.47MF)         |





**E LEGANCE 50 KX WR 380-400/3N/50 - DWR1025057 - Valvola di carico - DW132E**


| Pos. | Codice    | Descrizione                        | Description                       |
|------|-----------|------------------------------------|-----------------------------------|
| 1    | DW10703   | ELETTROV. SING. H20 230V DIS.LS036 | SINGLE SOLENOID VALVE H20 230V    |
| 3    | DW11807   | FASCETTE AISI 430 12/22            | CLAMP 12/22 AISI 430              |
| 4    | DW13307   | GUARNIZ. 3/4 CARICO H20 DIS.LS061  | GUARNIZ. 3/4 CARICO H20 DIS.LS061 |
| 5    | DW14506   | TUBO GOMMA DIAM 9,5X16 EPDM        | 9,5X16 EPDM RUBBER HOSE           |
| 5    | DW2907351 | TUBO GOMMA EPDM 11,5X19            | 11,5X19 EPDM RUBBER HOSE          |
| 5    | DW2907352 | TUBO GOMMA PVC WRAS BT             | PVC WRAS RUBBER HOSE              |






**E LEGANCE 50 KX WR 380-400/3N/50 - DWR1025057 - Riduttore di pressione - DW132E**

| Pos. | Codice    | Descrizione                              | Description                        |
|------|-----------|------------------------------------------|------------------------------------|
| 1    | DW561088  | "RIDUT. DI PRESS. 3/4"M 0.2-1 BAR"       | "PRESSURE REDUCER 3/4"M 0.2-1 BAR" |
| 2    | DW2000244 | "MANOMETRO RIDUTTORE PRESS. 1/4"CONIC"   | "PRESSURE REDUCTION GAUGE 1/4""    |
| 3    | DW10780   | TUBO COLLEG. EL.VAL. RAC. 3/4 DRITTO 1mt | CONNECTION HOSE 3/4 STRAIGHT L1MT  |
| 4    | DW10767   | TUBO COLLEG. ELETTROVAL. RAC. 3/4 DRITTO | CONNECTION HOSE 3/4 STRAIGHT       |
| 5    | DW11807   | FASCETTE AISI 430 12/22                  | CLAMP 12/22 AISI 430               |




| Pos. | Codice    | Descrizione                          | Description                            |
|------|-----------|--------------------------------------|----------------------------------------|
| 1    | DW15735   | ASSIEME BREAK TANK 2.4               | BREAK TANK ASSEMBLY 2.4LT              |
| 2    | DW10706/A | "PRESSOSTATO "EL." 46-26"            | PRESSURE SWITCH 46-26                  |
| 3    | DW15721   | CANNA B.T. D28-90°/D24 DIRITTO L1070 | BREAK TANK LONG PIPE D.28/24 L1070     |
| 4    | DW18044   | TUBO DIAM.28 EPDM LAV.SUP. STAR      | D.28 EPDM PIPE                         |
| 5    | DW2907352 | TUBO GOMMA PVC WRAS BT               | PVC WRAS RUBBER HOSE                   |
| 6    | DW14508   | TUBO EPDM 4.5X9 PER PRESSOSTATO      | EPDM HOSE 4.5X9 FOR PRESSURE SWITCH    |
| 7    | DW540098  | DERIV. 3VIE T D25 PLASTICA           | PLASTIC Y-PIECE D.25                   |
| 8    | DW561067  | TUBO D28-26 EPDM PER DERIV.3VIE      | HOSE EPDM D.28/26                      |
| 9    | DW135314  | STAFFA PRESSOSTATO SERIE K           | PRESSURE SWITCH SUPPORT                |
| 10   | DW12533   | RINFORZO COLLARE USCITA BREAK TANK   | BREAK TANK OUTLET COLLAR REINFORCEMENT |
| 11   | DW14506   | TUBO GOMMA DIAM 9,5X16 EPDM          | 9,5X16 EPDM RUBBER HOSE                |
| 12   | DW11806   | FASCETTE AISI 430 25/40              | CLAMP 25/40 AISI 430                   |







| Pos. | Codice     | Descrizione                       | Description                     |
|------|------------|-----------------------------------|---------------------------------|
| 1    | DW15100/DO | POMPA RISCIAQUO 220-240/50 (PLUS) | RINSE PUMP 220-240V/50HZ (PLUS) |
| 2    | DW16043    | #CONDENSATORE POMPA uf8           | uf8 CONDENSER                   |
| 3    | DW15100/S  | TENUTE ROTANTI EPDM(15100/DO)     | EPDM ROTARY SEAL (15100/DO)     |
| 4    | DW15100/T  | OR EPDM(15100/DO)                 | O-RING EPDM (15100/DO)          |
| 5    | DW15100/U  | #GIRANTE 90X2.5 (15100/DO)        | PUMP ROTOR 90X2.5 (DW15100/DO)  |
| 6    | DW15100/V  | #CHIOCCIOLA ANTE. (15100/DO)      | SCROLL FOR PUMP 15100/DO        |
| 7    | DW2907351  | TUBO GOMMA EPDM 11,5X19           | 11,5X19 EPDM RUBBER HOSE        |
| 8    | DW23235    | STAFFA SUPP. POMPA A.P.           | BOOSTER PUMP SUPPORT            |




| Pos. | Codice   | Descrizione                             | Description                        |
|------|----------|-----------------------------------------|------------------------------------|
| 1    | DW11836  | FASCETTA INOX 20/32                     | S/S CLAMP 20/32                    |
| 2    | DW15288  | COLLETORE SCARICO TOP40-50 DVGW 07      | DRAIN VALVE CENTER BODY            |
| 3    | DW15281  | DADO VALVOLA DVGW 07                    | VALVE NUT                          |
| 4    | DW15282  | COPRI DADO VALVOLA DVGW 07              | VALVE NUT COVER                    |
| 5    | DW15283  | GUARNIZIONE VALVOLA DVGW 07             | VALVE GASKET                       |
| 6    | DW15284  | "SFERA 5/8" VALVOLA DVGW 07"            | "5/8" BALL FOR DVGW VALVE 07"      |
| 7    | DW15285  | GUARNIZIONE OR 115 KTW VALVOLA DVGW 07  | O-RING 115 KTW                     |
| 8    | DW540206 | MANICOTTO EPDM SCARICO TOP40-50         | DRAIN PIPE COUPLING                |
| 9    | DW14510  | TUBO DIAM.19X26 TRASPARENTE SCARICO TOP | TRANSPARENT HOSE D.19X26 TOP DRAIN |
| 10   | DW14506  | TUBO GOMMA DIAM 9,5X16 EPDM             | 9,5X16 EPDM RUBBER HOSE            |



| Pos. | Codice      | Descrizione                          | Description                           |
|------|-------------|--------------------------------------|---------------------------------------|
| 1    | DW15985/C   | DOS.ELETT.BRIL PERISTALTICO CONTINUO | RINSE AID PERISTALTIC DOSING PUMP     |
| 2    | DW15058     | FILTRINO CON PESO ASPIR. DET/BRIL    | SMALL FILTER (MIN. 3 PCS)             |
| 3    | DW3003906/A | DERIV. A T ENTR. BRILL. SENZA TAPPO  | "T-PIECE W/PLUG 1/8""                 |
| 4    | DW15186/C   | TUBO MEMBRANA DOS BRIL CONTINUO      | MEMBRANE TUBE FOR RINSE AID DISPENSER |
| 5    | DW10763     | MOLLA D.05 INOX PER TUB. D.6x4 PVC   | PIPE S/S SPRING                       |
| 6    | DW14502/A   | TUBETTO PVC 6X4 VERDE                | 6X4 PVC GREEN SMALL PIPE              |
| 7    | DW15122     | VALVOLA 1/8G TENUTA EPDM             | 1/8G VALVE SEAL                       |
| 8    | DW2907351   | TUBO GOMMA EPDM 11,5X19              | 11,5X19 EPDM RUBBER HOSE              |



| Pos. | Codice    | Descrizione                              | Description                              |
|------|-----------|------------------------------------------|------------------------------------------|
| 1    | DW13005   | GUARNIZIONE OR 151 NBR                   | O-RING 151 NBR (MIN. 5 PCS)              |
| 2    | DW530009  | BOILER RETT. 410X180X160 OPTIMA II       | RECT.BOILER 430X180X200 TOP50 (AISI 304) |
| 3    | DW15089/E | RESIST.6000/6530W 230/240V 3 L378        | 6000/6530W 230/240V 3 L378 HEATING ELEM  |
| 4    | DW530414  | KIT COIBENTANTE PER BOILER OPTIMA II 500 | KIT INSULATION FOR BOILER OPTIMA II 500  |
| 5    | DW14509   | TUBO PRESSOSTATO 5X9                     | 5X9 PRESSOSTAT HOSE                      |
| 6    | DW15550/A | TERM SICUR. CONTATTO KLIXON SENZA STAFFA | KLIXON SAFETY THERMOSTAT                 |
| 7    | DW18044   | TUBO DIAM.28 EPDM LAV.SUP. STAR          | D.28 EPDM PIPE                           |
| 8    | DW16045   | STAFFE FISSAGGIO RESIST.FORO 6.3         | HEATING ELEMENT MOUNTING BRACKET D.6,3   |
| 9    | DW540205  | PRESSOSTATO LINEARE 0-30 mbar            | PRESSURE SWITCH 0-30                     |
| 10   | DW14506   | TUBO GOMMA DIAM 9,5X16 EPDM              | 9,5X16 EPDM RUBBER HOSE                  |
| 13   | DW2907351 | TUBO GOMMA EPDM 11,5X19                  | 11,5X19 EPDM RUBBER HOSE                 |
| 14   | DW15552/A | STAFFETTA PER TERMOSTATO VASCA KLIXON    | THERMOSTAT SUPPORT                       |










**E LEGANCE 50 KX WR 380-400/3N/50 - DWR1025057 - Deviazione 3 vie - DW132E**


| Pos. | Codice    | Descrizione                | Description              |
|------|-----------|----------------------------|--------------------------|
| 1    | DW540091  | DERIV. 3VIE Y D12 PLASTICA | PLASTIC Y-PIECE D.12     |
| 2    | DW11807   | FASCETTE AISI 430 12/22    | CLAMP 12/22 AISI 430     |
| 3    | DW2907351 | TUBO GOMMA EPDM 11,5X19    | 11,5X19 EPDM RUBBER HOSE |




| Pos. | Codice    | Descrizione                         | Description                         |
|------|-----------|-------------------------------------|-------------------------------------|
| 1    | DW150914  | POMPA HP0.7 TIPO 50 230V.50Hz CON F | PUMP HP0.7 230V/50HZ                |
| 2    | DW15081   | CONDENSATORE 12.5 uF.               | 12,5 UF CONDENSER                   |
| 3    | DW25032/A | MANICOTTO ASPIRAZ.GS50 DIAM.60/50   | SUCTION PIPE COUPLING               |
| 4    | DW561017  | TUBO MAND.INF.EPDM RINF. T6.1       | LOW EPDM DELIVERY PIPE T6.1         |
| 5    | DW561016  | TUBO MAND.SUP.EPDM RINF. T6.1       | TOP EPDM DELIVERY PIPE T6.1         |
| 6    | DW11806   | FASCETTE AISI 430 25/40             | CLAMP 25/40 AISI 430                |
| 7    | DW11824   | FASCETTA AISI 430 50-70             | CLAMP 50/70 AISI 430                |
| 8    | DW80208   | GUARNIZIONE RAMPA LP2 DIAM.95X75X3  | RISER GASKET D.95X75X3 (MIN. 2 PCS) |
| 9    | DW500605  | POZZETTO CON SCARICO LATERALE SX    | LEFT SIDE SCRAP TRAY                |
| 10   | DW11806   | FASCETTE AISI 430 25/40             | CLAMP 25/40 AISI 430                |
| 11   | DW18044   | TUBO DIAM.28 EPDM LAV.SUP. STAR     | D.28 EPDM PIPE                      |
| 12   | DW15080   | PREMISTOPA+CONTROFACCIA             | ROTATING SEALS                      |
| 13   | DW7130    | #GUARNIZIONE OR POMPA               | OR PUMP O-RING (MINIMUM 2 PIECES)   |
| 14   | DW16182   | #CHIOCCIOLA POMPA HP0.5 D.50X30     | SCROLL                              |
| 15   | DW15079/F | #GIRANTE POMPA HP0.70 D.91C. GS50   | PUMP ROTOR 0,70HP D.91              |



| Pos. | Codice    | Descrizione                        | Description                           |
|------|-----------|------------------------------------|---------------------------------------|
| 1    | DW15985   | DOS.ELETT.DET REGOLABILE 0-3LT/H   | DETERGENT DOSING PUMP 0-3L/H          |
| 2    | DW15058   | FILTRINO CON PESO ASPIR. DET/BRIL  | SMALL FILTER (MIN. 3 PCS)             |
| 3    | DW15123   | INIETTORE DETER. A GOMITO INOX     | S/S DOSING PUMP INJECTOR              |
| 4    | DW530012  | SUPPORTO DOSATORI OPTIMA II 500    | DOSING UNITS SUPPORT OPTIMA II 500    |
| 5    | DW10763   | MOLLA D.05 INOX PER TUB. D.6x4 PVC | PIPE S/S SPRING                       |
| 6    | DW14503   | TUBO PVC DIAM.6x4 TRASPARENTE      | D.6X4 PVC TRANSPARENT HOSE            |
| 7    | DW15108/E | TUBO TERMOPLASTICO DDE GERMAC      | GERMAC DISPENSER THERMOPLASTIC HOSE   |
| 7    | DW15185   | TUBO MEMBRANA DDE SEKO DET.        | SEKO DISPENSER THERMOPLASTIC HOSE     |
| 7    | DW15297   | TUBO MEMBRANA DDE SEKO 04/2013     | SEKO DISPENSER THERMOPLASTIC HOSE     |
| 7    | DW15297/T | TUBO TERMOPLASTICO DDE TECNOPRO    | TECNOPRO DISPENSER THERMOPLASTIC HOSE |
| 7    | DW15985/A | #TUBO TERMOPLASTICO DDE MICRODOS   | MICRODOS THERMOPLASTIC PIPE           |




| Pos. | Codice   | Descrizione                             | Description                        |
|------|----------|-----------------------------------------|------------------------------------|
| 1    | DW15101  | POMPA SCARICO SINCR. 220/240V 50Hz      | DRAIN PUMP 220-240V/50HZ           |
| 2    | DW11806  | FASCETTE AISI 430 25/40                 | CLAMP 25/40 AISI 430               |
| 3    | DW18044  | TUBO DIAM.28 EPDM LAV.SUP. STAR         | D.28 EPDM PIPE                     |
| 4    | DW540206 | MANICOTTO EPDM SCARICO TOP40-50         | DRAIN PIPE COUPLING                |
| 5    | DW540207 | RACCORDO SCARICO 20-28 TOP              | PIPE FITTING 20-28 TOP             |
| 6    | DW14510  | TUBO DIAM.19X26 TRASPARENTE SCARICO TOP | TRANSPARENT HOSE D.19X26 TOP DRAIN |
| 7    | DW25031  | CANNA SCARICO 1,5 MT 24-28 PIPA         | DRAIN HOSE 1,5MT 24-28             |
| 8    | DW23235  | STAFFA SUPP. POMPA A.P.                 | BOOSTER PUMP SUPPORT               |






| Pos. | Codice   | Descrizione                            | Description                     |
|------|----------|----------------------------------------|---------------------------------|
| 1    | DW540205 | PRESSOSTATO LINEARE 0-30 mbar          | PRESSURE SWITCH 0-30            |
| 2    | DW561053 | ASS.GABBIA D'ARIA L45 (Portagomma 6,5) | AIR TRAP ASSEMBLY L45           |
| 3    | DW13301  | GUARNIZ. IN FASIT 202 D14x8x1,5        | O-RING ROLMART D14X8X1,5        |
| 4    | DW11702  | DADO M8 INOX UNI5588 DIN934            | S/S NUT M8 DIN934 (MIN. 20 PCS) |
| 5    | DW14509  | TUBO PRESSOSTATO 5X9                   | 5X9 PRESSOSTAT HOSE             |



| Pos. | Codice    | Descrizione                              | Description                             |
|------|-----------|------------------------------------------|-----------------------------------------|
| 1    | DW530415  | GIRANTE LAVAGGIO-RISCIACQUO OPTIMA500 II | S/S WASH/RINSE ROTOR                    |
| 2    | DW530416  | DISTRIBUTORE GIRANTE OPTIMA II           | DISTRIBUTORE GIRANTE OPTIMA II          |
| 3    | DW530426  | GUARNIZIONE GIRANTE OPTIMA II            | DOOR GASKET                             |
| 4    | DW530420  | ASSE GIRANTE OPTIMA II                   | WASH TANK TURRET SHAFT ARMA'12          |
| 5    | DW75920/B | ANELLI TENUTA MOZZO RISCIACQUO 2009      | BAGUE D'ESPACEMENT                      |
| 6    | DW530431  | RONDELLA SCORRIM ASSE GIRANTE OPTIMA II  | WASHER 19X12X1 PTFE                     |
| 7    | DW530417  | TAPPO BLOCCAGGIO ASSE GIRANTE OPTIMA II  | TAPPO BLOCCAGGIO ASSE GIRANTE OPTIMA II |
| 8    | DW530428  | VITE AUTOF. TORX M3,5x9,5 INOX DIN7981   | M6X16 TSP S/S SCREW UNI7688             |
| 9    | DW530427  | VITE AUTOF. TORX M2,9x9,5 INOX DIN7981   | M6X16 TSP S/S SCREW UNI7688             |
| 10   | DW540069  | DADO GRIGIO ALTO (18) M45X2.5 TK4-6      | TURRET FASTENING NUT                    |
| 11   | DW540093  | DADO GRIGIO RIBAS. (12) M45X2.5 TK4-6    | TURRET FASTENING NUT                    |
| 12   | DW540076  | GUIDA TUBO PER T.4 ACQUA PULITA          | CENTERING                               |
| 13   | DW540032  | GUARNIZIONE PIANA T.4 D.57X43X1,5        | FLAT GASKET D.57X43X1,5 T4.0            |
| 14   | DW530418  | ASSE LAVAGGIO INFERIORE OPTIMA II        | LOWER WASH AXLE OPTIMA II               |
| 15   | DW530419  | ASSE LAVAGGIO SUPERIORE OPTIMA II        | UPPER WASH AXLE OPTIMA II               |
| 16   | DW540079  | ANELLO TENUTA MOZZO ACQ.PUL. TK4         | RING FOR HUB TK4 CLEAN                  |
| 17   | DW561033  | TOR.SUP.T6.1 ACQUA PULITA GIR.INOX       | WASH ARMS' UPPER SUPPORT T6.1           |
| 18   | DW561031  | TOR.INF.T6.1 ACQUA PULITA GIR.INOX       | WASH ARMS' LOWER SUPPORT T6.1           |



| Pos. | Codice  | Descrizione                         | Description                           |
|------|---------|-------------------------------------|---------------------------------------|
| 1    | DWC40   | CESTO PIATTI PLASTICA 50X50         | PLASTIC PLATES BASKET 500X500         |
| 2    | DWC44   | CESTO BICCHIERI MAGL.LARGA PLASTICA | 500X500 LARGE MESH GLASS BASKET       |
| 3    | DWC41   | CESTO POSATE MAG.STRETTA PLASTICA   | CUTLERY BASKET - TIGHT MESH (PLASTIC) |
| 4    | DW15060 | INSERTO CUCCHIAINI GRANDI DIS.G.060 | CUTLERY BASKET                        |

